



Preview Test: Hydrocephalus Quiz 2

Test Information

Description

Instructions

Multiple Attempts This test allows multiple attempts.

Force Completion This test can be saved and resumed later.

▼ Question Completion Status:

Save All Answers

Save and Submit

QUESTION 1

1 points

Save Answer

Aqueduct is replaced by scattered small ductules, rosettes and groups of ependymal cells:

- A. atresia
- B. gliosis
- C. stenosis
- D. forking
- E. a and d

QUESTION 2

1 points

Save Answer

X-linked hydrocephalus is NOT characterized by which of the following:

- A. ventricular dilation
- B. hydranencephaly
- C. absence of medullary pyramids

- D. polygyria
- E. fusion of thalamic nuclei

QUESTION 3

1 points

Save Answer

Obstruction of the Aqueduct of Sylvius may be caused by all of the following EXCEPT:

- A. arachnoiditis
- B. aneurysm of the vein of Galen
- C. septum
- D. forking
- E. intraventricular hemorrhage

QUESTION 4

1 points

Save Answer

Choroid plexus papilloma may cause hydrocephalus by overproducing CSF:

- True
- False

QUESTION 5

1 points

Save Answer

Which of the following may obstruct the cerebellar exit foramina:

- A. aneurysm of the great vein of Galen
- B. septum
- C. Dandy-Walker malformation
- D. polygyria
- E. a and b

QUESTION 6

1 points

Save Answer

X-linked hydrocephalus is caused by mutations in L1-CAM:

- True
- False

QUESTION 7

1 points

Save Answer

Intraventricular hemorrhage may:

- A. block the Aqueduct of Sylvius
- B. block the foramen of Monroe
- C. block the ventricular outlets
- D. cause aqueductal gliosis

E. all of the above

QUESTION 8**1 points**[Save Answer](#)

The foramen of Monroe:

- A. is located in the lateral recess of the 4th ventricle
- B. spans the length of the midbrain
- C. connects the lateral ventricles with the 3rd ventricle
- D. is located in the subarachnoid space next to the sagittal sinus
- E. is located in the base of the 3rd ventricle

QUESTION 9**1 points**[Save Answer](#)

Which of the following is NOT associated with hydrocephalus:

- A. mucopolysaccharidosis
- B. congenital cerebral lactic acidosis
- C. megalencephaly
- D. anencephaly
- E. congenital toxoplasmosis

QUESTION 10**1 points**[Save Answer](#)

The acronym CRASH refers to all of the following EXCEPT:

- A. corpus callosum hypoplasia
- B. retardation
- C. adducted thumbs
- D. shuffling gait
- E. hydrocephalus

Click Save and Submit to save and submit. Click Save All Answers to save all answers.

[Save All Answers](#)[Save and Submit](#)