



Preview Test: Malformations Quiz 2

Test Information

Description

Instructions

Multiple Attempts This test allows multiple attempts.

Force Completion This test can be saved and resumed later.

▼ Question Completion Status:

Save All Answers

Save and Submit

QUESTION 1

1 points

Save Answer

Macrocephaly is found in which of the following contexts:

- A. megalencephaly
- B. hydrocephalus
- C. a small brain with expanded CSF spaces
- D. a normal sized brain
- E. all of the above

QUESTION 2

1 points

Save Answer

The following is/are NOT considered a feature of anencephaly:

- A. prominent eyes
- B. hindbrain crowding
- C. area cerebrovasculosa

- D. intact anterior pituitary
- E. a and b

QUESTION 3**1 points****Save Answer**

Etiologic factors implicated in holoprosencephaly include:

- A. cholesterol biosynthesis
- B. ethanol
- C. defects of the sonic hedgehog signaling pathway
- D. maternal diabetes
- E. all of the above

QUESTION 4**1 points****Save Answer**

Mutations in the following is/are associated with type II lissencephaly:

- A. TSC1
- B. fukutin
- C. LIS1
- D. doublecortin
- E. b and d

QUESTION 5**1 points****Save Answer**

Which of the following is/are associated with septo-optic dysplasia:

- A. hypoplastic optic nerves and tracts
- B. persistent cavum septum pellucidum
- C. hypoplastic lateral geniculate nucleus
- D. a, b and c
- E. a and c only

QUESTION 6**1 points****Save Answer**

The following is NOT associated with Dandy-Walker malformation:

- A. enlargement of the posterior fossa
- B. agenesis of the posterior cerebellar vermis
- C. displacement of the cerebellar tonsils below the foramen magnum
- D. meningomyelocele
- E. c and d

QUESTION 7**1 points****Save Answer**

Holoprosencephaly, callosal agenesis, microcephaly, Dandy-Walker complex:

- A. trisomy 21
- B. trisomy 18
- C. Down's syndrome
- D. trisomy 13
- E. a and c

QUESTION 8**1 points****Save Answer**

Polymicrogyria is NOT associated with which of the following:

- A. lissencephaly
- B. ischemic insult
- C. Zellweger's syndrome
- D. seizures
- E. mental retardation

QUESTION 9**1 points****Save Answer**

A single midline incisor in the maxilla may be outward evidence of holoprosencephaly:

- True
- False

QUESTION 10**1 points****Save Answer**

Lissencephaly type I and pachygyria are identical histologically:

- True
- False

Click Save and Submit to save and submit. Click Save All Answers to save all answers.

Save All Answers**Save and Submit**