



Preview Test: Non Viral Quiz 1

Test Information

Description

Instructions

Multiple Attempts This test allows multiple attempts.

Force Completion This test can be saved and resumed later.

▼ Question Completion Status:

Save All Answers

Save and Submit

QUESTION 1

1 points

Save Answer

A 39 year-old woman developed frontal headaches fever and malaise. Computerized tomography (CT) of head showed a single cavitory lesion suggestive of an abscess in right frontal lobe. The most likely source of an infection is:

- Congenital heart disease
- Acute bacterial endocarditis
- Frontal sinusitis
- Marantic endocarditis
- Otitis media

QUESTION 2

1 points

Save Answer

A meningitis is an inflammation of the meninges which may be acquired:

- Via the blood stream
- By direct implantation

- By local extension
- All of the above
- None of the above

QUESTION 3**1 points****Save Answer**

A young woman with acute sinusitis and seizures.

- Poliomyelitis
- Eastern equine encephalitis
- Brain abscess in frontal lobe
- Escherichia coli
- Nisseria meningitides

QUESTION 4**1 points****Save Answer**

All of the following are true in regard to ocular toxoplasmosis except:

- The domestic dog is regarded as the definite host
- Transplacental transmission of the protozoa can result in both CNS and ocular infection
- It is a recurrent, relapsing retinal infection in many cases
- Most adult cases show high serologic titers which suggest evidence of recent infection

QUESTION 5**1 points****Save Answer**

Associated with cyanotic congenital heart disease, chronic pulmonary sepsis and acute bacterial endocarditis

- Brain abscess
- Suppurative leptomeningitis
- Both
- Neither

QUESTION 6**1 points****Save Answer**

Most likely cause of the pictured condition is:



- Syphilis
- Lyme
- Tuberculosis
- Aspergillosis
- Streptococcus Group B

QUESTION 7**1 points****Save Answer**

Newborn with acute leptomeningitis.

- Poliomyelitis
- Eastern equine encephalitis
- Brain abscess in frontal lobe
- Escherichia coli
- Nisseria meningitides

QUESTION 8**1 points****Save Answer**

Phagocytic (microglial) nodules and neuronophagia in the central nervous system suggest:

- Bacterial infection
- Parasitic infection
- Old infarct
- Autoimmune reaction
- Viral infection

QUESTION 9**1 points****Save Answer**

Sequelae of leptomeningitis commonly include hydrocephalus ("communicating").

- True
 False

QUESTION 10**1 points****Save Answer**

Tuberculous meningitis is associated with arteritis.

- True
 False

Click Save and Submit to save and submit. Click Save All Answers to save all answers.

Save All Answers**Save and Submit**