



Preview Test: Non Viral Quiz 2

Test Information

Description

Instructions

Multiple Attempts This test allows multiple attempts.

Force Completion This test can be saved and resumed later.

⌵ Question Completion Status:

Save All Answers

Save and Submit

QUESTION 1

1 points

Save Answer

A condition predisposing to a temporal lobe abscess is:

- Hypertensive cardiovascular disease
- Thyroiditis
- Otitis media
- Pulmonary emphysema
- Congenital polycystic disease of kidney

QUESTION 2

1 points

Save Answer

A young man from Mexico develops signs of abscesses in the liver, lung, and brain. Which of the following parasites is the most likely etiologic agent?

- Toxoplasma gondii
- Naegleria fowleri
- Plasmodium falciparum

- Acanthamoeba species
- Entamoeba histolytica

QUESTION 3**1 points****Save Answer**

Adolescent at summer camp with fever, stiff neck, and skin petechiae.

- Poliomyelitis
- Eastern equine encephalitis
- Brain abscess in frontal lobe
- Escherichia coli
- Nisseria meningitides

QUESTION 4**1 points****Save Answer**

An eleven year-old boy developed an expanding temporal lobe abscess following a chronic middle ear infection. The most likely serious neurologic complication is:

- Dilatation of contralateral pupil
- Ipsilateral transtentorial hippocampal herniation
- Ipsilateral occlusion of foramen of Monro
- Subfalcial herniation of cingulate gyrus
- Herniation of cerebellar tonsils

QUESTION 5**1 points****Save Answer**

Brain abscess:

- Frequently heals spontaneously
- Produces a cavity with a fibrous capsule
- Is a diffuse infiltration of brain with plasma cells
- Usually leads to bacterial endocarditis
- Is usually associated with a quartan fever pattern

QUESTION 6**1 points****Save Answer**

Elevated CSF protein, few cells and positive india ink preparation on CSF examination.

- Creutzfeldt-Jakob disease
- Herpes simplex virus (HSV-I) encephalitis
- Cryptococcal meningitis
- Acute pneumococcal meningitis
- Progressive multifocal leukoencephalopathy

QUESTION 7

- True
 False

QUESTION 10**1 points****Save Answer**

A likely etiologic agent for acute suppurative leptomenigitis in a newborn infant is Neisseria meningitidis.

- True
 False

Click Save and Submit to save and submit. Click Save All Answers to save all answers.

Save All Answers**Save and Submit**